


**THE NARANJA SAHAKARE SAKKARE KARKHANE (N), BIDAR**  
**COMPLIANCE REPORT OF TERMS AND CONDITIONS**  
**THE YEAR OF 2020 TO 2025**

Sl. No	CONSENT CONDITION	COMPLIED/MADE															
1	<p><b><u>TREATMENT AND DISPOSAL OF EFFLUENTS UNDER THE WATER ACT</u></b></p> <p>The discharge from the premises of the applicant shall pass through the terminal holes/manholes where from the board shall be free to collect samples in accordance with the provisions of the Act or rules made there under.</p>	Can be easily collected															
2	<p>The daily quantity of effluent generation and discharge shall not exceed the limits and shall not contain the constituents in excess of the tolerance limits laid down as indicated in the table below. The applicant shall monitor the quality of effluents for the parameters</p> <table><tr><th>S no</th><th>Description of the effluents</th><th>Daily quantity of discharge in KL</th><th>Tolerance Limits</th><th>Frequency of monitoring</th></tr><tr><td>1</td><td>Industrial Effluents</td><td>250 KLD (Restricted to 100 Litres/ton of cane crushed)</td><td>Please refer Annexure-I</td><td>Once in 15 days.</td></tr><tr><td>2</td><td>Domestic effluent</td><td>20 KLD</td><td>-</td><td>-</td></tr></table> <p>stipulated as per the frequency indicated.</p>	S no	Description of the effluents	Daily quantity of discharge in KL	Tolerance Limits	Frequency of monitoring	1	Industrial Effluents	250 KLD (Restricted to 100 Litres/ton of cane crushed)	Please refer Annexure-I	Once in 15 days.	2	Domestic effluent	20 KLD	-	-	<p>Already restricted to 100 ltr/Ton of cane crushed.</p> <p>Domestic effluent discharge within limits</p> <p>Frequency of monitoring will be done.</p>
S no	Description of the effluents	Daily quantity of discharge in KL	Tolerance Limits	Frequency of monitoring													
1	Industrial Effluents	250 KLD (Restricted to 100 Litres/ton of cane crushed)	Please refer Annexure-I	Once in 15 days.													
2	Domestic effluent	20 KLD	-	-													
3	The applicant shall ensure that the waste water generation is always less than or equal to 100 ltr/ton of cane crushed.	We are well within the 100 Ltr/Ton of cane crushed.															
4	The applicant shall ensure that the operation of effluent treatment plant shall be started at least one month before starting of cane crushing to achieve desired MLSS so as to meet the prescribed standards from day one of the operation mill.	ETP is being started before one month of cane crushing to achieve desired MLSS															
5	The applicant shall provide flow meters for measuring inflow & outflow of effluent treatment plant (ETP) and provide separate energy meter for ETP and record hourly readings in a log book for verification of inspecting Officers.	Online monitoring Flow meter system has been installed to measure effluent.															
6	The ETP site and entire premises shall be always kept clean. The ETP site, inspection chambers, outlets, flow measuring points should be made easily approachable to the inspecting Officers.	We have kept clean inside factory premises and around the ETP. The inspection Chamber, outlets, flow measuring points are made easily Approachable															
7	The industry shall display the approved flow sheet in the ETP area	Provided.															

	on a board along with discharge standards stipulated in the consent order.	
8	The applicant shall display the treated effluent parameters, as per the latest analysis report of the treated trade effluent, at the ETP location.	<b>Followed</b>
9	The applicant shall paint the name and capacity of each unit of ETP.	<b>Painted each unit</b>
10	The applicant shall provide lined and closed drains to convey trade effluents to ETP for treatment and disposal.	<b>Noted</b>
11	The board reserves the right to review impose additional conditional revoke change or alter the terms and conditions of this consent	<b>Agreed</b>
12	The applicant shall provide adequate storage capacity for treated effluent to take care of discharge during for irrigation (15 days holding capacity). The storage tank shall be implementation.	<b>15 days lagoon is provided</b>
13	The applicant, shall comply the guide lines under corporate responsibility for Environmental protection (CREP) 2003 issued by Ministry of Environmental forest and CPCB	<b>It will be complied</b>
14	The applicant, his heirs, legal representatives or assigns shall have no claims what so ever to the continuation or renewal of this consent after expiry of the period of consent	<b>Agreed</b>
15	Industry shall comply with all the consent conditions and furnish report within 30days to the regional office	<b>Agreed</b>
16	The applicant shall promptly comply with all orders and instructions issued from	<b>Agreed</b>
17	The applicant shall display flow diagram of the pollution control system at the site.	<b>Already under taken</b>
18	The applicant shall maintain the Environmental management system in conformity with ISO.14001.2004 Standards	<b>Agreed.</b>
19	There shall maintain register recording the ambient air quality, stack monitoring and analysis report of treated effluents. The register shall be opened for inspection by the board officers at all times.	<b>The register will be maintained and made available to the visiting officers of the Board.</b>
20	The applicant shall make an application for consent at least 120 days before expiry of this consent.	<b>Agreed.</b>

  
 MANAGING DIRECTOR  
 NSSK LTD., IMAMPUR.  
 BIDAR